



REQUEST FOR QUOTATION

RFQ No. and Date : AMTSS-AIR2022-07-167 / 07-12-2022
PR No. and Date : AMTSS-AIR2022-07-245 / 07-08-2022

The DENR - Environmental Management Bureau XI (DENR-EMBXI) Bids and Awards Committee (BAC), through its Ambient Air Quality Monitoring Section under Environmental Monitoring and Enforcement Division (EMED) will undertake a Small Value Procurement for the "Supply and Delivery of Tools and Equipment" in accordance with Section 53.9 of the Implementing Rules and Regulation of the Republic Act No. 9184.

Name of Project : "Supply and Delivery of Tools and Equipment"
Approved Budget of the Contract : **Eighty Seven Thousand One Hundred Pesos Only**
(Php. 87, 100.00)
Specifications : See the attached Annex "A" for specifications
Location : DENR - Environmental Management Bureau XI, 3rd Avenue corner V. Guzman St. Brgy. 27-C, Sta. Ana, Davao City
Delivery Term : Thirty (30) days upon receipt of Purchase Order

Interested suppliers are required to submit their valid and current Mayor's Permit, PhilGEPS Registration Number, Omnibus Sworn Statement, Bank Details and Price Quotation form (Annex "A") during submission of offer/quotation.

Contract shall be awarded to the lowest calculated responsive quotation submitted, and from which complied and/or have met the minimum description stated above, and with the other terms & conditions stated in the price quotation form.

The submission of quotation and eligibility documents will be on or before **7th** of **July** at the Procurement Unit, 3rd corner V. Guzman St., Brgy. 27-C, Sta. Ana, Davao City. Open submission may be submitted, manually or through email.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by the bidder or his/her duly authorized representative/s.

For inquiry or for any other concerns, you may please contact us through Tel. No. (082) 234-0061, Mobile No. 09226522164, or via email embxiprocurement@emb.gov.ph / amabellecadorna@gmail.com

Very truly yours,


ANTHONY CESAR C. TAUNAN
Chief, Administrative Section

PRICE QUOTATION FORM

Date: _____

The Procurement Unit
 DENR - Environmental Management Bureau XI
 3rd Avenue corner V. Guzman St. Brgy. 27-C,
 Sta. Ana, Davao City

Sir/Madam:

After having carefully read and accepted the terms and conditions in the Request for Quotation, hereunder is our quotation/s for the item/s as follows:

DESCRIPTION	SPECIFICATIONS	QTY/ UNIT	UNIT PRICE	TOTAL PRICE
Industrial Tool Kit Set	2pcs two-component ratchet handles, 72T: 1/2"+1/4" • 50pcs sockets and accessories, • 15pcs 1/2" Sq Dr. Cr-V standard metric sockets: 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm • 6pcs 1/2" Sq Dr. Cr-V deep metric sockets: 10, 12, 13, 14, 17, 19mm • 1pc 1/2" Cr-V extension bar: 250mm • 1pc 1/2" Cr-V 3-way adaptor • 1pc 1/2" Cr-V universal joint • 2pcs 1/2" Sq Dr. Cr-V spark plug sockets: 16,21mm • 13pcs 1/4" Sq Dr. Cr-V standard metric sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 6pcs 1/4" Sq Dr. Cr-V deep metric sockets: 4, 5, 6, 7, 8, 9mm • 1pc 1/4" Cr-V extension bar: 100mm • 1pc 1/4" Cr-V universal joint • 1pc 1/4" Cr-V sliding bar 115mm • 1pc 1/4" socket handle 150mm • 1pc 1/4" Cr-V socket bit adaptor • 17pcs socket bits (S2 material of bits): • SL4, SL5.5, SL6.5 • PH1, PH2 • PZ1, PZ2 • H3, H4, H5, H6 • T8, T10, T15, T20, T25, T30 • 9pcs Cr-V long arm hex key set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm • 4pcs Two-component comfortable grip screwdrivers • SL 1.0x5.5x100mm, 1.2x6.5x150mm • PH1x100, PH2x150mm • 1pc 7" combination pliers • 1pc 8" long nose pliers • 1pc 10" water pump pliers • 9pcs combination spanners: 6, 8, 10, 12, 14, 15, 17, 19, 22mm • 20pcs S2 bit 1/4" / 6.35x25mm • TB10, TB15, TB20, TB25, TB27, TB30 • H3, H4, H5, H6 • PH1, PH2, PH3 • PZ1, PZ2, PZ3 • SL4, SL5.5, SL6.5 • 1/4" bit adaptor • 1pc machinist hammer 300g • Packing: blow mould case with color sleeve	1 set		
20 Volts Lithium Ion Blower Dust Extractor	• Voltage: 20V • No-load speed: 0-9000/0-18000rpm • Charge volts: 220V-240V~50/60Hz • 20V Lithium-Ion 2.0Ah batteries • With 1pc battery pack • With 1pc fast charger	1 set		

20 Volts Lithium Ion Cordless Pressure Washer	<ul style="list-style-type: none"> • Voltage: 20V • Maximum Pressure: 24.8Bar • Flow rate: 2.2L/min • Cordless Lithium-Ion High-Pressure Washer • More convenient • Self-priming function expanded the using range • Suitable for household cleaning (car washing / garden cleaning / fence cleaning) • High pressure and high flow • With Auto stop system • With 6-pattern spraying • 1 battery 2.0ah and charger 	1 set		
20Volts Lithium Ion Cordless Angle Grinder	<ul style="list-style-type: none"> • BRUSHLESS MOTOR • Voltage: 20V • No-load Speed: 9000/min • Disc Diameter:: Ø100mm (4") • Spindle thread: M10 • Spindle Lock With 1pc battery pack • With 1pc fast charger 	1 set		
20 Volts Lithium Ion Cordless Impact Drill-Brushless Motor	<ul style="list-style-type: none"> • BRUSHLESS MOTOR • Voltage : 20V • No-load Speed : 0-450/0-1900/min • Max. Impact Rate : 22500/min • Max. Torque : 60NM • Chuck Capacity : 0-13mm • Charge Volts : 220V-240V~50/60HzIncluded Accessories: • 2pcs. battery pack • 1pc. fast charger • 6pcs CR-V Bits • 36pcs Self-Tapping Screw & Chipboard Screw • 3pcs Masonry Drill Bits • 4pcs HSS Drill Bits • 1pc Magnetic Holder • 1pc Belt Clip Product Features: • Torque Settings : 23+1+1 • Mechanical 2-speed gear • 20V Lithium-Ion 2.0Ah batteries • Integrated work light 	1 set		
20Volts Cordless Impact Wrech Brushless Motor	<ul style="list-style-type: none"> • Voltage: 20V • Square Drive: 1/2" • No-load speed: 0-2300/min • Impact rate: 0-3550bpm • Max. torque:300NM • 20V Lithium-Ion 2.0Ah batteries • Integrated work light • LED battery power indicator 	1 set		
Drill Bit Combination Set	<p>Includes bits for drilling into metal, wood and masonry materials as well as insert and power bits for fastening applications</p> <p>Includes (5) Phillips, (5) Pozidriv®, (5) Torx® and (5) Slotted Insert Bits</p> <p>Includes (3) Phillips, (3) Pozidriv®, (4) Torx®, (2) Slotted, and (4) Hex Power Bits</p> <p>Includes (19) Titanium nitride coated high speed steel (HSS-TIN) metal and wood drill bits with size range of (1 - 8mm)</p> <p>Includes (4) brad point wood drill bits with size range of (4 - 8mm)</p> <p>Includes (5) masonry hammer drill bits with size range of (4 - 8mm)</p> <p>Straight shank drill bits fit most corded and cordless 3/8" and 1/2" drills</p> <p>Includes (1) center punch for easier hole starting in metal</p> <p>Includes (1) 1/4" hex countersink which produces clean finishes in hard and soft wood</p> <p>Includes (8) 1/4" hex nutdrivers with size range of (5 - 11mm)</p> <p>Includes (1) 1/4" hex magnetic bit holder</p> <p>Includes convenient storage case.</p>	1 set		
Industrial Flashlight	<ul style="list-style-type: none"> • Aviation Grade aluminum alloy: 6N01-T6 • Brightness: 	1 set		

	<ul style="list-style-type: none"> • Maximum: 400 lumens , Middle: 150 lumens , Lower: 50 lumens • Use 15650 Li ion Battery • High light: 4H Runtime • Low light: 18H runtime • Four switch: high , middle and low light • Diameter / length: 27.5mm / 158.3mm • Net weight: 157g 			
Headlamp IPX4 Raining Resistant	<ul style="list-style-type: none"> • CREE XPE2-R3 LED • Brightness: Max:180 lumens • Low:45 lumens • Use alkaline 3AAA battery • Max 50m beam distance • IPX4 raining resistan 	1 set		
Migweld Gaseless 200A Fully Inverter	<p>Model: MIGWELD-200TECH</p> <ul style="list-style-type: none"> ▶ Power Voltage: 220V ▶ Frequency: 60Hz ▶ Max. Input Power: 3.2 KVA ▶ Power Factor: 0.9 ▶ Wire Diameter: 0.6-0.9 mm ▶ Max No-Load Voltage Output: 28V ▶ Current Range: 80-200 A (lowest level is 48A, but welding starts at 80A) <p>starting working amp is 80amp and up</p> <ul style="list-style-type: none"> ▶ Duty Cycle: 60% ▶ Insulation Class: H ▶ Protection Class: IP21S ▶ Dimensions: 24 x 48 x 22 ▶ Weight: 6.9kg <p>INCLUSIONS:</p> <ul style="list-style-type: none"> ▶ 1 x Welding Mask; ▶ 1 x Ground Clamp; ▶ 1 x MIG Torch Assembly; ▶ 1 x Welding Brush & Hammer 	1 set		
Soldering Iron	<ul style="list-style-type: none"> • Voltage: 220-240V~50/60Hz • Preheat.time: 3~5minuters Straight, tip head • With a piece of support Long life replaceable tip 	1 set		
*Inclusive of Delivery/Total (Inclusive of VAT)				

(Amount in Words) _____

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/ Signature of Representative

Name of Company

Contact No.

TECHNICAL SPECIFICATIONS

Bidders /suppliers must state "Comply" in the column "statement of compliance" against each of the individual parameters of each SPECIFICATION. Please do not just place check in the bidder's "Statement of Compliance ".

Item	Technical Specifications	Bidder's Offer	Statement of Compliance
Industrial Tool Kit Set	<ul style="list-style-type: none"> • 2pcs two-component ratchet handles, 72T: 1/2"+1/4" • 50pcs sockets and accessories, • 15pcs 1/2" Sq Dr. Cr-V standard metric sockets: 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm • 6pcs 1/2" Sq Dr. Cr-V deep metric sockets: 10, 12, 13, 14, 17, 19mm • 1pc 1/2" Cr-V extension bar: 250mm • 1pc 1/2" Cr-V 3-way adaptor • 1pc 1/2" Cr-V universal joint • 2pcs 1/2" Sq Dr. Cr-V spark plug sockets: 16,21mm • 13pcs 1/4" Sq Dr. Cr-V standard metric sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 6pcs 1/4" Sq Dr. Cr-V deep metric sockets: 4, 5, 6, 7, 8, 9mm • 1pc 1/4" Cr-V extension bar: 100mm • 1pc 1/4" Cr-V universal joint • 1pc 1/4" Cr-V sliding bar 115mm • 1pc 1/4" socket handle 150mm • 1pc 1/4" Cr-V socket bit adaptor • 17pcs socket bits (S2 material of bits): • SL4, SL5.5, SL6.5 • PH1, PH2 • PZ1, PZ2 • H3, H4, H5, H6 • T8, T10, T15, T20, T25, T30 • 9pcs Cr-V long arm hex key set: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10mm • 4pcs Two-component comfortable grip screwdrivers • SL 1.0x5.5x100mm, 1.2x6.5x150mm • PH1x100, PH2x150mm • 1pc 7" combination pliers • 1pc 8" long nose pliers • 1pc 10" water pump pliers • 9pcs combination spanners: 6, 8, 10, 12, 14, 15, 17, 19, 22mm • 20pcs S2 bit 1/4" / 6.35x25mm • TB10, TB15, TB20, TB25, TB27, TB30 • H3, H4, H5, H6 • PH1, PH2, PH3 • PZ1, PZ2, PZ3 • SL4, SL5.5, SL6.5 • 1/4" bit adaptor • 1pc machinist hammer 300g • Packing: blow mould case with color sleeve 		
20 Volts Lithium Ion Blower Dust Extractor	<ul style="list-style-type: none"> • Voltage: 20V • No-load speed: 0-9000/0-18000rpm • Charge volts: 220V-240V~50/60Hz • 20V Lithium-Ion 2.0Ah batteries • With 1pc battery pack • With 1pc fast charger 		

20 Volts Lithium Ion Cordless Pressure Washer	<ul style="list-style-type: none"> • Voltage: 20V • Maximum Pressure: 24.8Bar • Flow rate: 2.2L/min • Cordless Lithium-Ion High-Pressure Washer • More convenient • Self-priming function expanded the using range • Suitable for household cleaning (car washing / garden cleaning / fence cleaning) • High pressure and high flow • With Auto stop system • With 6-pattern spraying • 1 battery 2.0ah and charger 		
20Volts Lithium Ion Cordless Angle Grinder	<ul style="list-style-type: none"> • BRUSHLESS MOTOR • Voltage: 20V • No-load Speed: 9000/min • Disc Diameter:: Ø100mm (4") • Spindle thread: M10 • Spindle Lock With 1pc battery pack • With 1pc fast charger 		
20 Volts Lithium Ion Cordless Impact Drill-Brushless Motor	<ul style="list-style-type: none"> • BRUSHLESS MOTOR • Voltage : 20V • No-load Speed : 0-450/0-1900/min • Max. Impact Rate : 22500/min • Max. Torque : 60NM • Chuck Capacity : 0-13mm • Charge Volts : 220V-240V~50/60HzIncluded Accessories: • 2pcs. battery pack • 1pc. fast charger • 6pcs CR-V Bits • 36pcs Self-Tapping Screw & Chipboard Screw • 3pcs Masonry Drill Bits • 4pcs HSS Drill Bits • 1pc Magnetic Holder • 1pc Belt Clip Product Features: • Torque Settings : 23+1+1 • Mechanical 2-speed gear • 20V Lithium-Ion 2.0Ah batteries • Integrated work light 		
20Volts Cordless Impact Wrech Brushless Motor	<ul style="list-style-type: none"> • Voltage: 20V • Square Drive: 1/2" • No-load speed: 0-2300/min • Impact rate: 0-3550bpm • Max. torque:300NM • 20V Lithium-Ion 2.0Ah batteries • Integrated work light • LED battery power indicator 		
Drill Bit Combination Set	<p>Includes bits for drilling into metal, wood and masonry materials as well as insert and power bits for fastening applications</p> <p>Includes (5) Phillips, (5) Pozidriv®, (5) Torx® and (5) Slotted Insert Bits</p> <p>Includes (3) Phillips, (3) Pozidriv®, (4) Torx®, (2) Slotted, and (4) Hex Power Bits</p> <p>Includes (19) Titanium nitride coated high speed steel (HSS-TIN) metal and wood drill bits with size range of (1 - 8mm)</p> <p>Includes (4) brad point wood drill bits with size range of (4 - 8mm)</p> <p>Includes (5) masonry hammer drill bits with size range of (4 - 8mm)</p> <p>Straight shank drill bits fit most corded and cordless 3/8" and 1/2" drills</p> <p>Includes (1) center punch for easier hole starting in metal</p> <p>Includes (1) 1/4" hex countersink which produces clean finishes in hard and soft wood</p> <p>Includes (8) 1/4" hex nutdrivers with size range of (5 - 11mm)</p> <p>Includes (1) 1/4" hex magnetic bit holder</p> <p>Includes convenient storage case.</p>		

Industrial Flashlight	<ul style="list-style-type: none"> • Aviation Grade aluminum alloy: 6N01-T6 • Brightness: • Maximum: 400 lumens , Middle: 150 lumens , Lower: 50 lumens • Use 15650 Li ion Battery • High light: 4H Runtime • Low light: 18H runtime • Four switch: high , middle and low light • Diameter / length: 27.5mm / 158.3mm • Net weight: 157g 		
Headlamp IPX4 Raining Resistant	<ul style="list-style-type: none"> • CREE XPE2-R3 LED • Brightness: Max:180 lumens • Low:45 lumens • Use alkaline 3AAA battery • Max 50m beam distance • IPX4 raining resistan 		
Migweld Gaseless 200A Fully Inverter	<p>Model: MIGWELD-200TECH</p> <ul style="list-style-type: none"> ▶ Power Voltage: 220V ▶ Frequency: 60Hz ▶ Max. Input Power: 3.2 KVA ▶ Power Factor: 0.9 ▶ Wire Diameter: 0.6-0.9 mm ▶ Max No-Load Voltage Output: 28V ▶ Current Range: 80-200 A (lowest level is 48A, but welding starts at 80A) <p>starting working amp is 80amp and up</p> <ul style="list-style-type: none"> ▶ Duty Cycle: 60% ▶ Insulation Class: H ▶ Protection Class: IP21S ▶ Dimensions: 24 x 48 x 22 ▶ Weight: 6.9kg <p>INCLUSIONS:</p> <ul style="list-style-type: none"> ▶ 1 x Welding Mask; ▶ 1 x Ground Clamp; ▶ 1 x MIG Torch Assembly; ▶ 1 x Welding Brush & Hammer 		
Soldering Iron	<ul style="list-style-type: none"> • Voltage: 220-240V~50/60Hz • Preheat.time: 3~5minuters Straight, tip head • With a piece of support Long life replaceable tip 		

I hereby certify to comply with all the above Technical Specifications.

Name of supplier/Bidder

Signature over Printed Name of
Representative

Date